

## CBR4 Human

**Description:** CBR4 Human Recombinant fused with a 20 amino acid His tag at N-terminus produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 257 amino acids (1-237 a.a.) and having a molecular mass of 27.5kDa. The CBR4 is purified by proprietary chromatographic techniques.

Catalog #:ENPS-029

For research use only.

**Synonyms:** Carbonyl reductase family member 4, 3-oxoacyl-[acyl-carrier-protein] reductase, Quinone reductase CBR4, CBR4, SDR45C1, FLJ14431.

**Source:** Escherichia Coli.

**Physical Appearance:** Sterile Filtered colorless solution.

**Amino Acid Sequence:** MGSSHHHHHH SSGLVPRGSH MDKVCVFGG SRGIGRAVAQ  
LMARKGYRLA VIARNLEGAK AAAGDLGGDH LAFSCDVAKE HDVQNTFEEM EKHLGRVNFL  
VNAAGINRDG LLVRTKTEDM VSQ LHTNLLG SMLTCKAAMR TMIQQGGSI VNVGSIVGLK  
GNSGQSVYSA SKGGLVGFSR ALAKEVARKK IRVNVVAPGF VHTDMTKDLK EEHLKKNIP  
LGRFGETIEVA HA

**Purity:** Greater than 95.0% as determined by SDS-PAGE.

### Formulation:

The CBR4 solution (0.5 mg/ml) contains 20mM Tris-HCl buffer (pH8.0), 10% glycerol, 5mM DTT and 200mM NaCl.

### Stability:

CBR4 should be stored desiccated below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

### Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

### Introduction:

CBR4 is a member of the short-chain dehydrogenase/reductase family. CBR4 has a role in biosynthesis of fatty acids in the mitochondria and a broad substrate specificity and reduces 9,10-phenanthrenequinone, 1,4-benzoquinone and a range of other o-quinones and p-quinones (in vitro). CBR4 formation of a heterotetramer with HSD17B8 has NADH-dependent 3-ketoacyl-acyl carrier protein reductase activity for o- and p-quinones.

**To place an order, please [Click HERE](#).**